

Appendix E – References Cited

- Al-Chokhachy, R. Roper, B.R., and E.K. Archer. 2010. Evaluating the status and trends of physical stream habitat in headwater streams within the interior Columbia River and upper Missouri River basins using an index approach. *Transactions of the American Fisheries Society* 139:1041-1059. DOI: 10.1577/T08-22.1.
- Altman, R. 2000. Conservation strategy for the conservation of landbirds on east slope of the Cascades Mountains in Washington and Oregon. Oregon Washington Partners In Flight. 131pp. Available on-line <http://orwapif.org>
- Altman, R. and A. Holmes. 2000. Conservation strategy for the conservation of landbirds in the Columbia Plateau of eastern Oregon and Washington. Oregon-Washington Partners In Flight. Available on-line <http://orwapif.org>
- Agee, J. K. 1993. *Fire Ecology of Pacific Northwest Forests*. Island Press, Washington D.C.
- Agee, J. K. 1994. Fire and weather disturbances in terrestrial ecosystems of the eastern Cascades. pages 5-24 in PNW-GTR-320.
- Agee, J. K. The Landscape Ecology of Western Forest Fire Regimes, *Northwest Science*, Vol. 72, Special Issue 1998.
- Agee, J. K. and C. S. Wright. 2004. Fire and Vegetation History in the Eastern Cascade Mountains, Washington, *Ecological Applications*; 14(2), 2004, pp. 443-459.
- Arno, S. 1999. Undergrowth response, shelterwood cutting unit. In: H.Y. Smith & S.F. Arno, editors. Eighty-eight years of change in a managed ponderosa pine forest. General Technical Report RMRS-GTR-23. Ogden, Utah: U.S. Department of Agriculture. Rocky Mountain Research Station.
- Aubry, K. B., and J. C. Lewis. 2003. Extirpation and reintroduction of fishers (*Martes pennant*) in Oregon: implications for their conservation in the Pacific states. *Biological Conservation* 114:79-90.
- Battaglia, M., Smith, F., and W. Shepperd. 2008. Can prescribed fire be used to maintain fuel treatment effectiveness over time in Black Hills ponderosa pine forests? *Forest Ecology and Management* 256: 2029-2038.
- Berger, R. L. 2005. Integrated roadside vegetation management. Washington (DC): Transportation Research Board. 80 p.
- Banci, V. 1994. Wolverine. Pages 99-127 in L. F. Ruggiero, E. B. Aubry, s. W. Buskirk, L. J. Lyon, and w. J. Zielinski techn. eds. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United Sates. General Technical Report RM-254. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. Available on-line http://www.fs.fed.us/rm/pubs_rm/rm_gtr254.html
- Blaisdell, J. 1950. Effects of controlled burning on bitterbrush on the upper Snake River plain. Research Paper No. 20. Ogden, Utah: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Bradley, A., Noste, N., and W. Fischer. 1992. Fire ecology of forests and woodlands of Utah. General Technical Report INT-287. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Brown, J., and N. DeByle. 1989. Effects of prescribed fire on biomass and plant succession in western aspen. Ogden, Utah: Research Paper INT-412. U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Buchanan, J. B., Rogers, R. E., Pierce, D. J., and J. E. Jacobson. 2003. Nest-site habitat use by white-headed woodpeckers in the eastern Cascade Mountains, Washington. *Northwestern Naturalist* 84:119-128.

- Camp, A. E. 1995. Predicting late successional fire refugia from physiography and topography. Doctoral thesis, University of Washington.
- Camp, A., Oliver, C., Hessburg, P., Everett, R. 1997. Predicting late-successional fire refugia pre-dating European settlement in the Wenatchee Mountains. *Forest Ecology and Management* 95 (1997) 63-67.
- Carleton, T. 1982. The composition, diversity and heterogeneity of some jack pine (*Pinus banksiana*) stands in northeastern Ontario. *Canadian Journal of Forestry* 60 (12): 2629-2636.
- Carleton, T., and P. Maycock. 1981. Understory-canopy affinities in boreal forest vegetation. *Canadian Journal of Botany* 59 (9): 1709-1716.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Trans. Am. Fish. Soc.* 117(1): 1-21.
- Chappell, C. B., Crawford, R. C., Barrett, C., Kagan, J., Johnson, D. H., O'Mealy, M., Green, G. A., Ferguson, H. L., Edge, W. D., Greda, E. L., and T. A. O'Neil. 2001. Wildlife habitats: Descriptions, status, trends, and system dynamics. Pp. 22-114 in D. H. Johnson and T. A. O'Neil, ed. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR.
- Clary, W., and P. Folliott, P. 1966. Differences in herbage-timber relationships between thinned and unthinned ponderosa pine stands. Fort Collins, Colorado: USDA Forest Service Research Note RM-74, Rocky Mountain Forest and Ranger Experimentation Station.
- Clayton, J.L., Kennedy, D.A. 1985. Nutrient losses from timber harvest in the Idaho batholith. *Soil Science Society of America Journal*. 49(4), 1041-1049.
- Copeland, J. P., McKelvey, K. S., Aubry, K. B., Landa, A., Persson, J., Inman, R. M., Krebs, J., Lofroth, E., Golden, H., Squires, J. R., Magoun, A., Schwartz, M. K., Wilmot, J., Copeland, C. L., Yates, R. E., Kojola, I., and R. May. 2010. The bioclimatic envelope of the wolverine (*Gulo gulo*): do climatic constraints limit its geographic distribution? *Canadian Journal of Zoology* 88:233-246.
- Crane, M., Habeck, J., and W. Fischer, W. 1983. Early postfire revegetation in a western Montana Douglas-fir forest. USDA Forest Service Research Paper INT-319.
- Crookston, N. L. Fire and Fuels Extension to the Forest Vegetation Simulator (FVS) , U.S.D.A. Forest Service, July, 2002.
- Everett, R., Schellhaas, D., Spurbeck, D., Ohlson, P., Keenum, D., and T. Anderson. 1997. Structure of northern spotted owl nest stands and their historical conditions on the eastern slopes of the Pacific Northwest Cascades, USA. *Forest Ecology and Management* 94 (1997) 1-14.
- Filip, G. M. 1986. Root Diseases in Oregon and Washington Conifers. USDA Forest Service Publ. R-6-FPM-250-86.
- Eriksen, H. E. and R. White. 2008. Soils under Fire: Soils Research and the Joint Fire Science Program, PNW-GTR-759.
- Everett, R. and D. Schellhaas. 1999. Fire history in the Ponderosa pine/Douglas-fir forests on the east slopes of the Cascades.
- Everett, R., Schellhaas, D., Spurbeck, D., Ohlson, P., Keenum, D., and T. Anderson. 1997. Structure of northern spotted owl nest stands and their historical conditions on the eastern slopes of the Pacific Northwest Cascades, USA. *Forest Ecology and Management* 94: 1-14.
- Freyman, S. 1968. Spectral distribution of light in forests of the Douglas-fir zone of southern British Columbia. *Canadian Journal of Plant Science* 48 (3): 326-328.

- Furnas, B. J., and R. L. Callas. 2015. Using automated recorders and occupancy models to monitor common forest birds across a large geographic region. *The Journal of Wildlife Management* 79(2):325-337.
- Furniss, M. M., Livingston, R. L., and M. D. McGregor. 1981. Development of a stand susceptibility classification for Douglas-fir beetle. USDA Forest Serv., Gen. Tech. Rep. W.O. 27.
- Furniss, M.J., Roelofs, T. D., and C.S. Yee. 1991. *In Influences of Forest and Rangeland Management on Salmonid Fish and Their Habitat. Ed. W.R. Meehan. American Fisheries Society Special Publication. 19: 297-323.*
- Gaines, W. L., Singleton, P. H., and R. C. Ross. 2003. Assessing the cumulative effects of linear recreation routes on wildlife habitats on the Okanogan and Wenatchee National Forests. Gen. Tech. Rep. PNW-GTR-586. U.S. Department of Agriculture, Forest Service. Pacific Northwest Research Station, Portland, OR. 79 pp. Available on-line <http://www.fs.fed.us/pnw/pubs/gtr586.pdf>
- Goheen, D. J. and M. G. 1980. Host pathogen complexes in Pacific Northwest Forests. *Plant Disease*. 64: 793-794.
- Gaines, W. L., R. J. Harrod, J. Dickinson, A. L. Lyons, and K. Halupka. 2010. Integration of Northern spotted owl habitat and fuels treatments in the eastern Cascades, Washington USA. *Forest Ecology and Management* 260:2045-2052.
- Gaines, W. L., M. Haggard, J. Begley, J. Lehmkuhl, and A. Lyons. 2010. Short-term effects of thinning and burning restoration treatments on avian community composition, density, and nest survival in the eastern Cascades dry forests, Washington. *Forest Science* 56(1):88-99.
- Griffith Jr., C. 1996. Distribution of *Viola blanda* in relation to within-habitat variation in canopy openness, soil phosphorous and magnesium. *Bull. Torr. Bot. Club* 123: 281-285.
- Hall, F. 1987. Growth Basal Area Handbook, R-6- Ecol- 181b-1984 U.S. Department of Agriculture, Forest Service.
- Harrod, R. J., Gaines, W. L., Hartl, W. E., and A. Camp. 1998. Estimating historical snag density in dry forests east of the Cascade Range. Gen. Techn. Rep. PNW-GTR-428. August 1998. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 16p.
- Harrod, R. J., D. W. Peterson, N. A. Povack, and E. K. Dodson. 2009. Thinning and prescribed fire effects on overstory tree and snag structure in dry coniferous forests of the interior Pacific Northwest. *Forest Ecology and Management* 258:712-721.
- Harrod, R., Peterson, D., Povak, N., and E. Dodson, E. 2009. Thinning and prescribed fire effects on overstory tree and snag structure in dry coniferous forests of the interior Pacific Northwest. *Forest Ecology and Management* 258: 712-721.
- Harvey, A. E., Jurgenson, M. F., Larsen, M. J., and R. T. Graham. 1987. Decaying organic materials and soil quality in the Inland Northwest: a management opportunity. USDA Forest Service. Gen. Tech. Report. INT-225.
- Harvey, A. M. and M. Sala, M. 1988. Geomorphic processes in environments with strong seasonal contrasts, Vol. 2, Geomorphic Systems. *Catena Supplement*. 13, 164.
- Haskins, K. E. and C. A. Gehring. 2004. Long-term effects of burning slash on plant communities and arbuscular mycorrhizae in a semi-arid woodland. *Journal of Applied Ecology* 41: 379-388.
- Henderson, E. M., 1990. The Pine Tree Express; A History of the Cascade Lumber Company's Pine Hauling Railroad in Kittitas County, Washington 1916-1946.

- Hessburg, P.F., Salter, R. B., and K.M. James. 2007. Re-examining fire severity relations in pre-management era mixed conifer forests: inferences from landscape patterns of forest structure. *Landscape Ecology* 22: 5-24.
- Hollenbeck J. P, L. J. Bate, V. A. Saab, J. F. Lehmkuhl. 2013. Snag distributions in relation to human access in ponderosa pine forests. *Wildlife Society Bulletin* 37(2):256-266.
- Host, L. 1988. Understory production response to tree stocking reduction in a central Washington mixed-conifer forest. Master of Science Thesis. Washington State University.
- Hungerford, R. D., Campbell, G. S., Jungbauer, J. D., and K. L. Bristow. 1995. Soil temperature and water content beneath a surface fire. *Journal of Soil Science*. 159(6), 363-427.
- Keely, J. E. 2006. Fire Management Impacts on Invasive Plants in the Western United States. *Conservation Biology* 20(2): 375-384.
- Lehmkuhl, J. F., K. D. Kistler, and J. S. Begley. 2006. Bushy-tailed woodrat abundance in dry forests of Eastern Washington. *Journal of Mammology* 87(2):371-379.
- Lehmkuhl, J. F., K. D. Kistler, J. S. Begley, and J. Boulanger. 2006. Demography of northern flying squirrels informs ecosystem management of western interior forests. *Ecological Applications* 16(2):584-600.
- Lehmkuhl, J. F., A. L. Lyons, E. Bracken, J. Leingang, W. L. Gaines, E. K. Dodson, and P. H. Singleton. 2013. Forage composition, productivity, and utilization in the eastern Washington Cascade Range. *Northwest Science*, 87(4):267-291.
- Lieffers, V. and K. Stadt. 1994. Growth of understory *Picea glauca*, *Calamagrostis canadensis* and *Epilobium angustifolium* to overstory light transmission. *Canadian Journal of Forest Research* 24: 1193-1198.
- Lillybridge T. R., Kovalchik, B. L., Williams, C. K., and B. G. Smith. 1995. Field Guide for Forested Plant Associations of the Wenatchee National Forest. USDA, Pacific Northwest Research Station. PNW-GTR-359.
- Long, J. N., McCarter J. B., and S. B. Jack. 1998. A modified Density Management Diagram for Coastal Douglas-fir, *Western Journal of Applied Forestry*, 3(3).
- Lorenz, T. J., Vierling, K. T., Kozma, J. M., Millard, J. E., and M. G. Raphael. 2015. Space use by white-headed woodpeckers and selection for recent forest disturbances. *The Journal of Wildlife Management*, 79:1286-1297.
- McConnell, B. and J. Smith. 1970. Response of understory vegetation to ponderosa pine thinning in eastern Washington. *Journal of Range Management*, Vol 23, No. 3: 208-212.
- McLaughlin, S. 1978. Overstory attributes, light, throughfall and the interpretation of overstory-understory relationships. *Forest Science* 24 (4): 550-553.
- Mellen-McLean, K., Marcot, B. J., Ohmann, J. L., Waddell, K., Livingston, S. A., Willhite, E. A., Hostetler, B. B., Ogden, C., and T. Dreisbach. 2012. DecAID, the decayed wood advisor for managing snags, partially dead trees, and down wood for biodiversity in forests of Washington and Oregon. Version 2.20. USDA Forest Service, Pacific Northwest Region and Pacific Northwest Research Station; USDI Fish and Wildlife Service, Oregon State Office; Portland, Oregon. <http://www.fs.fed.us/r6/nr/wildlife/decaid/index.shtml>
- Meurisse, R. T. 1978. Soil productivity protection and improvement: Objectives, policy, and standards in the Pacific Northwest Region of the Forest Service. Alaska Forest Soil Productivity Workshop. Gen. Tech. Reference. PNW-GTR 219, 63-68.
- Moir, W. 1966. Influence of ponderosa pine on herbaceous vegetation. *Ecology* 47 (6): 1045-1048.

- Morrison, P. H. 2007. Roads and Wildfires. Pacific Biodiversity Institute, Winthrop, Washington. 40 p.
- Morrison, P. H. and F. J. Swanson. 1990. Fire History and Pattern in a Cascade Range Landscape. USDA Forest Service, PNW – GTR 254.
- Naumburg, E., and L. DeWald. 1999. Relationships between *Pinus ponderosa* forest structure, light characteristics, and understory graminoid species presence and abundance. *Forest Ecology and Management* 124: pp. 205-215.
- Owens, T. 1982. Postburn regrowth of shrubs related to canopy mortality. *Northwest Science* 56 (1): 34-40.
- Powers, R. F., Andrew Scott, D., Sanchez, F. G., Voldseth, R. A., Page-Dumroese, D., Elloff, J. D., and D. M. Stone. 2005. The North American long term soil productivity experiment: findings from the first decade of research. *Forest Ecology and Management*. 220(1), 31-50.
- Plummer, F.G. Forest Conditions in the Cascade Range, Washington, between the Washington and Mt. Rainier Forest Reserves, U.S. Department of the Interior, 1902.
- Prichard, S., Peterson, D., and K. Jacobson. 2010. Fuel treatments reduce the severity of wildfire effects in dry mixed conifer forest, Washington, USA. *Canadian Journal of Forest Research* 40: 1615-1626
- Quigley, T.M. and S.J. Arbelbide, tech. eds. 1997. An assessment of ecosystem components in the interior Columbia basin and portions of the Klamath and Great Basins: volume 3. General Technical Report, PNW-GTR-405: 1058-1713. Portland, OR: Pacific Northwest research station, USDA Forest Service. Available on line at http://www.fs.fed.us/pnw/pubs/gtr405/pnw_gtr405aa.pdf (February 2016).
- Reiser, D. W. and R. G. White. 1988. Effects of two sediment size-classes on survival of steelhead and Chinook salmon eggs. *North American Journal Fisheries Management*. 8:432-437.
- Ricard, J., and C. Messier. (1996). Abundance, growth and allometry of red raspberry (*Rubus idaeus*) along a natural light gradient in a northern hardwood forest. *Forest Ecology Management* 81: 153-160.
- Riegel, G., Miller, R., and W. Krueger. 1995. The effects of aboveground and belowground competition on understory species composition in a *Pinus ponderosa* forest. *Forestry Science* 41: 864-889.
- Robichaud, P. R. and R. D. Hungerford. 2000. Water repellency by laboratory burning of four northern Rocky Mountain forest soils. *Journal of Hydrology*. 231(232), 207-219.
- Rose, C. L., Marcot, B. J., Mellen, T. K., Ohmann, J. L., Waddell, K. L., Lindley, D.L., and B. Schreiber. 2001. Decaying wood in Pacific Northwest forests: concepts and tools for habitat management. Pp. 580-623 in: D.H. Johnson and T. A. O'Neil, ed. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis OR. <http://www.nwhi.org/inc/data/GISdata/docs/chapter24.pdf>
- Soloman, R., Folliott, P., and J. Thompson. 1976. Correlation between transmissivity and basal area in Arizona ponderosa pine forests. USDA, Forest Service Research Note RM-318. Fort Collins, Colorado: Rocky Mountain Forest and Range Experiment Station.
- Singleton, P. H., Lehmkuhl, J. F., Gaines, W. L., and S. A. Graham. 2010. Barred owl space use and habitat selection in the Eastern Cascades, Washington. *Journal of Wildlife Management* 74(2):285-294.
- Sweeney, B.W. and J.D. Newbold. 2014. Streamside forest buffer width needed to protect stream water quality, habitat, and organisms: a literature review. *Journal of the American Water Resources Association* (JAWRA) 50(3): 560-584. DOI: 10.1111/jawr.12203
- Thomas, J. W. editor. 1979. Wildlife habitats in managed forests. The Blue Mountains of Oregon and Washington. U.S. Forest Service Agriculture Handbook No. 553.

- USDA Forest Service. 2012. Okanogan-Wenatchee National Forest Restoration Strategy: adaptive ecosystem management to restore landscape resiliency. Pacific Northwest Region, September 2010.
- USDA Forest Service. 2006. Environmental Assessment: Liberty Wildland Urban Interface Fuels Reduction Project.
- USDA Forest Service. Manual 2600 – Wildlife, Fish and Sensitive Plant Habitat Management. Chapter 2670 – Threatened, Endangered and Sensitive Plants and Animals.
- USDA Forest Service. 2005. Pacific Northwest Region. Invasive Plant Program: Preventing and managing Invasive Plants, Record of Decision, R6-NR-FHP-PR-02-05. Portland.
- USDA Forest Service. 1997. Swauk Creek Watershed Assessment. Cle Elum, WA.
- USDA Forest Service. 1990. Final Environmental Impact Statement and Land and Resource Management Plan. Wenatchee National Forest. Pacific Northwest Region. USDA Forest Service. Portland, Oregon.
- USDA Forest Service. 1990. Land and Resource Management Plan. Wenatchee National Forest. Portland, Oregon.
- USDA Natural Resources Conservation Service. Official Soil Series Descriptions. Web Soil Survey at <http://soils.usda.gov>
- USDA and USDI. 2001. Record of Decision and Standards for Amendments to the Survey and Manage, Protection Buffer, and other Mitigation Measures Standards and Guidelines. Portland, Oregon.
- USDA and USDI. 1994. Record of decision for amendments to Forest Service and Bureau of Land management planning documents and standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl.
- USDI Fish and Wildlife Service. 2011. Final revised recovery plan for the northern spotted owl.
- USDI Fish and Wildlife Service. 2008. Birds of conservation concern.
- USDI Fish and Wildlife Service. 1997. Grizzly bear recovery plan, supplement: North Cascades ecosystem recovery plan chapter.
- USFS Forest Service. 2011. Natural Resource Information System (NRIS). <http://fsweb.nris.fs.fed.us/>
- USFS Forest Service. 2002. Okanogan-Wenatchee National Forests Weed Management & Prevention Strategy & Best Management Practices. version 1.0.
- USFS Forest Service. 1999. Forest-wide Noxious Weed Environmental Assessment: Wenatchee National Forest.
- USFS Forest Service. 1997. Yakima Watershed Analysis. Cle Elum Ranger District, Wenatchee National Forest.
- Washington Department of Fish and Wildlife. 2004. Management Recommendations for Washington's Priority Species – Volume IV: Birds.
- Washington Department of Fish and Wildlife. 2006. Washington State Elk Herd Plan, Colockum Elk Herd Plan. Wildlife Program, Washington Department of Fish and Wildlife, Olympia.
- Washington Department of Fish and Wildlife. 2014. 2014 Game status and trend report. Wildlife Program, Washington Department of Fish and Wildlife, Olympia, Washington, USA.
- Washington Natural Heritage Program. 2011. List of Plants Tracked by the Washington Natural Heritage Program. <http://www1.dnr.wa.gov/nhp/refdesk/lists/planttrnk.html>

Whiley, A.J. and B. Cleland. 2003. Wenatchee National Forest Water Temperature Total Maximum Daily Load Technical Report. Washington Department of Ecology. Publication No. 03-10-063. November 2003. Available online at: <http://www.ecy.wa.gov/pubs/0310063.pdf>

Wright, H., and A. Bailey. 1980. Fire ecology and prescribed fire in the Great Plains - a research review. General Technical Report INT-77. Ogden, Utah: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station.

Yakima Basin Fish and Wildlife Recovery Board. 2009. Yakima steelhead recovery plan: extracted from the 2005 Yakima subbasin salmon recovery plan, with updates. 309 pp, available at <http://www.ybfwrp.org/>.